

# Adaptive User Interfaces for Software Supporting Chronic Diseases

Wei Wang

Dept of Software Systems and Cybersecurity  
Monash University, Melbourne, Australia  
wei.wang5@monash.edu

John Grundy

Dept of Software Systems and Cybersecurity  
Monash University, Melbourne, Australia  
john.grundy@monash.edu

Hourieh Khalajzadeh

School of Information Technology  
Deakin University, Melbourne, Australia  
hkhajzadeh@deakin.edu.au

Anuradha Madugalla

Dept of Software Systems and Cybersecurity  
Monash University, Melbourne, Australia  
anuradha.madugalla@monash.edu

**Abstract**—The rising prevalence of chronic diseases necessitates effective self-management strategies. mHealth interventions have shown promise in supporting self-management, but their under-utilization remains a challenge. Individuals with chronic diseases exhibit significant variations in their conditions, severity levels, and associated complications, highlighting the need for more tailored approaches. Adaptive User Interfaces (AUIs) can be used as a solution to address the diverse and dynamic needs of individuals with chronic diseases. We have created an AUI prototype based on existing literature, incorporating presentation, content, and behaviour adaptation. Our user study employs a mixed-method research approach to gather insights from users by interacting with our prototype. The future plans of the study aim to utilise insights obtained from the data analysis to automatically generate AUIs using a model-driven approach.

**Index Terms**—adaptive user interface, chronic disease, mHealth applications, model-driven approach

## I. INTRODUCTION

The rising prevalence of chronic diseases is attributed to the reclassification of formerly fatal illnesses and the ageing population [1]. *Self-management*, has emerged as a critical aspect of chronic disease management [1], [2]. Patients now show a significant inclination towards acquiring skills and techniques to manage their medical conditions effectively. mHealth interventions have shown promise in promoting self-management by improving medication adherence and facilitating self-tracking capabilities [3]. However, studies indicate that individuals who have the potential to get the most benefits from mHealth solutions tend to use them the least [4]. A key cause is the *one-size-fits-all* approach of most mHealth software, with little ability to tailor interfaces and care plans to specific individual preferences and needs.

What is required are mHealth applications that consider the diverse and dynamic nature of chronic diseases and of the individuals who have them. Individuals with chronic diseases exhibit significant variations in their conditions, severity levels and associated complications [5], and are diverse in terms of age, culture, language ability, health knowledge, etc. To cater to this great variability, AUI has emerged as a potential

solution. AUIs aim to enhance the interaction between users and their user interfaces by adapting to their current goals, needs and preferences [6].

With an increasing number of papers describing applications, approaches, tools and algorithms for AUIs, there is a lack of information on development processes during the early design stages involving end users [7]. Furthermore, the predominant evaluation approach commonly focuses on assessing the *overall effectiveness* of the application, making it difficult to draw specific conclusions about the implemented AUIs. We aim to address this by investigating the preferences of users with chronic diseases regarding different AUIs.

## II. RELATED WORK

Existing research in the healthcare domain has predominantly focused on studying AUI issues among health professionals [8]–[10]. For instance, Eslami, Firoozabadi, and Homayounvala [8] employ interviews and observations to elicit user requirements in health information systems, primarily targeting health professionals. Similarly, some studies have examined AUI design issues in specific scenarios, such as the smart hospital context [10]. One study proposed an architecture for AUI with a particular emphasis on monitoring and reporting health-related information [12]. However, there is a noticeable research gap when it comes to AUIs for chronic disease-related applications.

## III. ADAPTIVE USER INTERFACE PROTOTYPE

In our study, we leverage prior findings through a systematic literature review to inform the design of different types of adaptation [7]. The adaptation types presented below are derived from the literature in the domain of chronic diseases.

(1) **Presentation adaptation** involves the adjustment of interface element parameters, such as colour, size, object positioning, and font size, to optimise the user experience (Figure 1). We further subdivide presentation adaptation into *graphic design* (Figure 1a) and *information architecture* (Figure 1b). *Graphic design* encompasses a range of techniques used to




Fig. 1: Presentation adaptation

manipulate the visual aspects of the application by exercising control over elements such as theme, layout, and display. *Information architecture (IA)* revolves around the structural design of information within the system. For instance, directive tunnel IA guides users step-by-step towards specific goals, while hierarchical IA facilitates top-down navigation and access to relevant information.

(2) **Content adaptation** involves adjusting the content level of the interface by modifying the text, semantic content, images, or explanatory inscriptions (Figures 2-5). We propose two main categories of content adaptation: 1) *content complexity*, and 2) *interface elements rearrangement*. *Content complexity*, which focuses on simplifying the content to improve comprehension based on users' cognitive skills, educational background, or comprehension capabilities. Within *content complexity*, three subcategories have been identified: *easy-to-understand language* (Figure 3), *minimalist design* (Figure 4), and *text-to-image conversion* (Figure 5). Easy-to-understand language involves using clear and concise language to enhance comprehension. Minimalistic design streamlines the design to reduce visual clutter and present the content in a more concise manner. Text-to-image conversion transforms complex text into easily understandable visual representations. The second category is *interface elements rearrangement* (Figure 2), which involves reorganizing interface elements to improve the content presentation and accessibility. This includes adjusting element positions or selectively hiding less frequently used elements.

(3) **Behaviour adaptation** encompasses the modification of navigation type or structure, activation or deactivation of interface elements, and adjustment of interaction modalities within an application. This form of adaptation is characterised by its complexity, often requiring multiple steps to complete, and can encompass both content and presentation adaptation. We have categorised it into five subcategories. The first subcategory pertains to *navigation adaptation*, wherein the user's navigation permissions are modified or navigation to specific modules is suppressed. The second subcategory involves *add-on functions*, which entail the incorporation of new features into the application to enhance user assistance and improve application usability. The third subcategory focuses on the

alteration of *pervasive strategies* used to motivate desired behavioural changes. This adaptation is tailored to different user types or statuses, fostering more effective behavioural transformations. *Multimodal interaction* represents another subcategory of behaviour adaptation, involving the adjustment of interface modalities based on diverse usage contexts. The adjustment of *difficulty levels* in certain health-related game applications constitutes the final subcategory. This adaptation entails modifying the difficulty level of games or exercises based on user motivation or performance, ensuring a balance between engagement and challenge.

Users with chronic diseases may benefit from various adaptations in user interfaces. The need for these adaptations depends on factors such as the users' knowledge, experience, health status, cognitive skills, physical and/or mental deterioration, etc.

#### IV. USER STUDY DESIGN

We are conducting a large user study involving a *quantitative survey* aimed at gathering data on participants' preferences regarding adaptive elements and a *qualitative study* designed to validate and evaluate the proposed adaptation types. A total of 86 survey responses have been collected to date. Moreover, we have are conducting six *interviews* and five *focus group* sessions with three participants in each session. The interview and focus group participants primarily include individuals with type 2 diabetes or mental health issues. Throughout these sessions, participants are given the opportunity to engage with the adaptation prototype, enabling them to gain hands-on experience with various adaptive features. Subsequently, discussions are conducted to elicit participants' opinions regarding different adaptations, identification of potential challenges, and recognition of any lacking features within the provided adaptation examples. The inclusion of multiple data collection methods, such as surveys, focus groups, and interviews, is essential to triangulate findings and enhance the robustness of our user study [11].

#### V. FUTURE STEPS

We are analysing the collected qualitative and quantitative data to gain insights into user preferences for adaptive elements for mHealth software supporting chronic diseases. We plan to employ the Model-Driven Approach (MDA) to develop a tool capable of automatically generating AUIs for chronic disease-related applications. The MDA is a software development methodology centred around creating models or abstractions, enabling automated generation of processes, structures, and code. This tool aims to create AUIs that effectively cater to the unique needs and preferences of individuals with chronic diseases, thereby enhancing usability, adherence, and overall user experience. We will implement the tool using chronic disease-related applications as a practical example. User studies involving potential end-users will assess the acceptance and user-friendliness of generating AUIs and the impact of proposed adaptations.

## ACKNOWLEDGMENTS

Wang, Madugalla and Grundy are supported by ARC Laureate Fellowship FL190100035. We thank Humphrey Obie for his suggestions on designing the user study and comments on reviewing this paper.

## REFERENCES

- [1] G. D. Abowd, A. K. Dey, P. J. Brown, N. Davies, M. Smith, and P. Steggle, "Towards a better understanding of context and context-awareness," in *International symposium on handheld and ubiquitous computing*. Springer, 1999, pp. 304–307.
- [2] D. Deiss, J. Bolinder, J.-P. Riveline, T. Battelino, E. Bosi, N. Tubiana-Rufi, D. Kerr, and M. Phillip, "Improved glycemic control in poorly controlled patients with type 1 diabetes using real-time continuous glucose monitoring," *Diabetes care*, vol. 29, no. 12, pp. 2730–2732, 2006.
- [3] S. Hamine, E. Gerth-Guyette, D. Faulx, B. B. Green, A. S. Ginsburg et al., "Impact of mhealth chronic disease management on treatment adherence and patient outcomes: a systematic review," *Journal of medical Internet research*, vol. 17, no. 2, p. e3951, 2015.
- [4] J. H. Han, N. Sunderland, E. Kendall, O. Gudes, and G. Henniker, "Professional practice and innovation: Chronic disease, geographic location and socioeconomic disadvantage as obstacles to equitable access to e-health," *Health Information Management Journal*, vol. 39, no. 2, pp. 30–36, 2010.
- [5] D. Deiss, J. Bolinder, J.-P. Riveline, T. Battelino, E. Bosi, N. Tubiana-Rufi, D. Kerr, and M. Phillip, "Improved glycemic control in poorly controlled patients with type 1 diabetes using real-time continuous glucose monitoring," *Diabetes care*, vol. 29, no. 12, pp. 2730–2732, 2006.
- [6] A. F. Norcio and J. Stanley, "Adaptive Human-Computer Interfaces: A Literature Survey and Perspective," *IEEE Transactions on Systems, Man and Cybernetics*, vol. 19, no. 2, pp. 399–408, 1989.
- [7] W. Wang, H. Khalajzadeh, A. Madugalla, J. McIntosh, and H. Obie, "Adaptive user interfaces in systems targeting chronic disease: a systematic literature review," 2022.
- [8] M. Eslami, M. Firoozabadi, and E. Homayounvala, "User preferences for adaptive user interfaces in health information systems," *Universal Access in the Information Society*, vol. 17, pp. 875–883, 2018.
- [9] S. Greenwood, J. Nealon, and P. Marshall, "Agent-based user interface adaptivity in a medical decision support system," *Applications of Software Agent Technology in the Health Care Domain*, pp. 35–47, 2003.
- [10] J. Vogt and A. Meier, "An adaptive user interface framework for ehealth services based on uiml," 2010.
- [11] P. Fusch, G. E. Fusch, and L. R. Ness, "Denzin's paradigm shift: Revisiting triangulation in qualitative research," *Journal of Sustainable Social Change*, vol. 10, no. 1, p. 2, 2018.
- [12] E. M. Shakshuki, M. Reid, and T. R. Sheltami, "An adaptive user interface in healthcare," *Procedia Computer Science*, vol. 56, pp. 49–58, 2015.

## APPENDIX




Fig. 2: Interface elements rearrangement




Fig. 3: Content complexity-Easy-to-understand language




Fig. 4: Content complexity-Minimalist design




Fig. 5: Content complexity-Text-to-image conversion